

Approved lubricants

Freigegebene Schmierstoffe

T 7300

Table A-ef 'Physiologically safe oils for FLENDER helical, bevel-helical, planetary gear boxes and 'Marine gear units without multi-disk clutches'



Tabelle A-ef "Physiologisch unbedenkliche Öle für FLENDER Stirnrad-, Kegelrad-, Planetengetriebe und 'Marinegetriebe ohne Lamellenkupplung'

revision: 05 December 2024

Revision: 5. Dezember 2024

FLENDER gear units		Table A-ef 'Physiologically safe oils for FLENDER helical, bevel-helical, planetary gear boxes and 'Marine gear units without multi-disk clutches'						T 7300
		Tabelle A-ef "Physiologisch unbedenkliche Öle für FLENDER Stirnrad-, Kegelrad-, Planetengetriebe und 'Marinegetriebe ohne Lamellenkupplung'						2024-12-05
printed lists are not obligatory --- the current version is to be found using the following link https://www.flender.com/lubricants base oil type and viscosity class have to be according to type plate or dimension drawing of gear box!								
ausgedruckte Listen sind nicht verbindlich --- die aktuelle Version ist unter dem Link https://www.flender.com/lubricants zu finden Grundöltyp und Viskositätsklasse entnehmen Sie dem Typenschild oder dem Maßblatt des Getriebes!								
Brand name	Viscosity class DIN ISO 3448 at 40 °C (mm2/s). --- Viskositätsklasse DIN ISO 3448 bei 40 °C (mm2/s)							
	ISO VG 100	ISO VG 150	ISO VG 220	ISO VG 320	ISO VG 460	ISO VG 680	ISO VG 1000	
Markenname	FLENDER Code No. --- FLENDER-Kennziffer							
	A57	A56	A55	A54	A53	A52	A51	
Polyglycols. --- Polyglykole								
 BASF		Plurasafe GL FG 150	Plurasafe GL FG 220	Plurasafe GL FG 320	Plurasafe GL FG 460	Plurasafe GL FG 680		
 setral								
 Blaser			FOODOIL GGF 220	FOODOIL GGF 320	FOODOIL GGF 460			
 Fuchs			CASSIDA FLUID WG 220	CASSIDA FLUID WG 320	CASSIDA FLUID WG 460	CASSIDA FLUID WG 680		
 Klüber			Klübersynth UH 1 6 - 220	Klübersynth UH 1 6 - 320	Klübersynth UH 1 6 - 460	Klübersynth UH 1 6 - 680		
 PAKELO		Allsint HS 150	Allsint HS 220	Allsint HS 320	Allsint HS 460			
		No Tox Oil PG 150	No Tox Oil PG 220	No Tox Oil PG 320	No Tox Oil PG 460			
 Setral		SYN-setral-GEAR/PGB 150 FD	SYN-setral-GEAR/PGB 220 FD	SYN-setral-GEAR/PGB 320 FD	SYN-setral-GEAR/PGB 460 FD	SYN-setral-GEAR/PGB 680 FD		

FLENDER gear units		Table A-ef 'Physiologically safe oils for FLENDER helical, bevel-helical, planetary gear boxes and 'Marine gear units without multi-disk clutches'						T 7300
		Tabelle A-ef "Physiologisch unbedenkliche Öle für FLENDER Stirnrad-, Kegelrad-, Planetengetriebe und 'Marinegetriebe ohne Lamellenkupplung'						2024-12-05
printed lists are not obligatory --- the current version is to be found using the following link https://www.flender.com/lubricants base oil type and viscosity class have to be according to type plate or dimension drawing of gear box!								
Brand name Markenname	Viscosity class DIN ISO 3348 at 40 °C (mm2/s). --- Viskositätsklasse DIN ISO 3348 bei 40 °C (mm2/s)							
	ISO VG 100	ISO VG 150	ISO VG 220	ISO VG 320	ISO VG 460	ISO VG 680	ISO VG 1000	
	FLENDER Code No. --- FLENDER-Kennziffer							
	A67	A66	A65	A64	A63	A62	A61	
Poly-α-olefins. --- Poly-α-Olefine								